

Fabian Wirth

Exercises

Convex Optimization and Congestion Control

1. Separating hyperplanes between convex polytopes

Consider the two nonempty convex polytopes

$$P_1 = \{x \in \mathbb{R}^n \mid Ax \leq b\}, \quad P_2 = \{x \in \mathbb{R}^n \mid Cx \leq d\}.$$

Assume that $P_1 \cap P_2 = \emptyset$.

Formulate the problem of finding a separating hyperplane as a linear program or a linear feasibility problem (a linear program with cost function equal to 0). The problem is to find a vector $q \in \mathbb{R}^n$ and a scalar $c \in \mathbb{R}$ such that

$$\langle q, x \rangle > c, \quad \text{for all } x \in P_1 \quad \text{and} \quad \langle q, x \rangle < c, \quad \text{for all } x \in P_2.$$

Hint: The vector and scalar must satisfy

$$\inf_{x \in P_1} q^\top x > c > \sup_{x \in P_2} q^\top x.$$

Use duality to simplify infimum and supremum in these conditions.

2. A convex problem without strong duality

Consider the optimization problem

$$\begin{aligned} & \text{minimize} && e^{-x} \\ & \text{subject to} && x^2/y \leq 0. \end{aligned}$$

with variables $x, y \in \mathbb{R}$ and domain $\mathcal{D} = \{(x, y) \mid y > 0\}$

- (a) Show that this is a convex optimization problem and determine the optimal value.
- (b) Determine the Lagrange dual problem and find the optimal solution λ^* and the optimal value d^* of the dual problem. What is the duality gap?
- (c) Does Slater's condition hold?

3. Square Linear Programs

Consider the linear optimization problem

$$\begin{aligned} & \text{minimize} && c^\top x \\ & \text{subject to} && Ax \leq b, \end{aligned}$$

with A square and invertible. Show that the optimal value is given by

$$p^* = \begin{cases} c^\top A^{-1}b & A^{-\top}c \leq 0 \\ -\infty & \text{else.} \end{cases}$$